

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	213	((reset adj (switch\$2 or transistor\$2) and pixel\$2 and capacitor\$2) and (diode or photodiode or photo-diode or photo adj diode)) and load) and reset adj voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 16:34
L2	24	(reset adj (switch\$2 or transistor\$2) and pixel\$2 and capacitor\$2) and reset adj voltage near3 high	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 16:35
L3	16	("4751559" "4810896" "4814846" "4866293" "4962412" "5283428" "5453611" "5539461" "5698892" "5723877" "5780858" "5801373" "5869857" "6043525" "6064431" "6414292").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/16 16:40
L4	1	("6670990").URPN.	USPAT	OR	OFF	2004/11/16 16:46
L5	2	("5808677").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 16:58
L6	24	(((((348/302).CCLS.) and reset) and pixel\$2) and capacitor\$2) and fet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 16:58
L7	1301	reset adj (switch\$2 or transistor\$2) and pixel\$2 and capacitor\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
L8	960	(reset adj (switch\$2 or transistor\$2) and pixel\$2 and capacitor\$2) and (diode or photodiode or photo-diode or photo adj diode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
L9	438	((reset adj (switch\$2 or transistor\$2) and pixel\$2 and capacitor\$2) and (diode or photodiode or photo-diode or photo adj diode)) and load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00

L10	430	(reset adj (switch\$2 or transistor\$2) and pixel\$2 and capacitor\$2) and reset adj voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
L11	358	((reset adj (switch\$2 or transistor\$2) and pixel\$2 and capacitor\$2) and (diode or photodiode or photo-diode or photo adj diode)) and reset adj voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
L12	213	((((reset adj (switch\$2 or transistor\$2) and pixel\$2 and capacitor\$2) and (diode or photodiode or photo-diode or photo adj diode)) and load) and reset adj voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
L13	2	("5146592").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
L14	4	(US-5793423-\$ or US-6538693-\$ or US-6037577-\$ or US-5933189-\$).did.	USPAT	OR	OFF	2004/11/16 17:00
L15	2	((US-5793423-\$ or US-6538693-\$ or US-6037577-\$ or US-5933189-\$).did.) and row adj select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
L16	313	(348/302).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
L17	215	((348/302).CCLS.) and reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
L18	189	((((348/302).CCLS.) and reset) and pixel\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
L19	24	(((((348/302).CCLS.) and reset) and pixel\$2) and capacitor\$2) and fet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00

L20	129	(((348/302).CCLS.) and reset) and pixel\$2) and capacitor\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
L21	300	(((reset adj (switch\$2 or transistor\$2) and pixel\$2 and capacitor\$2) and (diode or photodiode or photo-diode or photo adj diode)) and load) and (imager or image adj sensor or image-sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
L22	40	(((reset adj (switch\$2 or transistor\$2) and pixel\$2 and capacitor\$2) and (diode or photodiode or photo-diode or photo adj diode)) and load) and (imager or image adj sensor or image-sensor)) and fet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
L23	780	(348/552).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
L24	353	((348/552).CCLS.) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
L25	23	((((reset adj (switch\$2 or transistor\$2) and pixel\$2 and capacitor\$2) and (diode or photodiode or photo-diode or photo adj diode)) and load) and (imager or image adj sensor or image-sensor)) and fet) and reset adj voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
L26	171	(((reset adj (switch\$2 or transistor\$2) and pixel\$2 and capacitor\$2) and (diode or photodiode or photo-diode or photo adj diode)) and load) and (imager or image adj sensor or image-sensor)) and reset adj voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
L27	6	("4809075" "4819070" "4942474" "5134488" "5162912" "5276521").PN.	USPAT	OR	OFF	2004/11/16 17:00
L28	7	"5933189".URPN.	USPAT	OR	OFF	2004/11/16 17:00

L29	24	(reset adj (switch\$2 or transistor\$2) and pixel\$2 and capacitor\$2) and reset adj voltage near3 high	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:00
-----	----	--	---	----	-----	------------------